




















## Camera Price List









10/1/2008

Picture	Model Number	Description	MSRP
<b>A DNR Camera</b>			
1	 SDNR-5550DN	1/3" Sony Super HAD CCD 550TVL 0.001Lux <b>Advanced Digital Noise Reduction (DNR)</b> Day & Night Camera 12VDC / 24VAC	270.00
<b>B Digital Day &amp; Night Camera</b>			
2	 SHT-7540DN	1/3" Sony Super HAD HQ1 550TVL Day & Night CCD Camera 12VDC/24VAC (Lens not included)	255.00
3	SST-7420	1/3" Sony Super HAD 420TVL CCD Camera 12VDC(Lens not included) Replace SST-6420	155.00
<b>C True Day &amp; Night Camera - Mechanical IR Cut Filter Switch</b>			
4	 SHM-755AII	1/3" Sony CCD HQ1 550TVL 10LED IR Color Camera, Mechanical IR Cut, Filter Switch with Aspherical Verifocal 3.8~9.5mm Auto Iris Lens. 12VDC	360.00
5	SSM-742AII	1/3" Sony Super HAD CCD 420TVL 10LED IR Color Camera, Mechanical IR Cut, Filter Switch with Aspherical Verifocal 3.8~9.5mm Auto Iris Lens. 12VDC	280.00
6	 SHM-7550DN	1/3" Sony Super HAD CCD 550TVL Color Camera, Mechanical IR Cut, Filter Switch, L.L, AES, BLC, AGC, DC & Video Drive, 12VDC/24VAC (Lens not included)	300.00
<b>D License Plate Camera</b>			
7	 SHE-7540LP	1/3" Color Sony Exview HQ1 CCD 540TVL License Plate Camera 12VDC/24VAC (Lens not included)	340.00
8	 OK-SHM-7540LPDN	1/3" Sony Super HAD <b>Star Light</b> CCD 540TVL Color Camera, Mechanical IR Cut, Filter Switch, <b>License Plate Camera</b> , DC & Video Drive, 12VDC/24VAC (Lens not included)	320.00
9	 SEM-7540LPDN	1/3" Color Sony Exview HQ1 CCD 540TVL License Plate Camera, Mechanical IR Cut Filter 12VDC/24VAC (Lens not included)	375.00
<b>E Wide Dynamic Camera</b>			
10	 WDS-HDR1527DN	1/3" Sony Super HAD 520TVL/570TVL True Day & Night Wide Dynamic, Mechanical IR Cut Filter, Frame Integration, OSD, 0.05Lux 12VDC/24VAC (Lens not included)	598.00

Picture	Model Number	Description	MSRP
<b>F Color Dome Camera</b>			
	ESDX-3420	Dome Type 1/3" Color Sony Super HAD 420TVL 3.6mm Lens with 3 Axis 0.3Lux 12VDC	82.25
	SHD4-7540DN	1/3" Color Sony Super HAD Day & Night 540TVL Dome 0.3Lux 12VDC (Black or White base)	216.00
	SSD4-7420	1/3" Color Sony Super HAD 420TVL Dome 0.3Lux 12VDC (Black or White base)	145.00
	SHDX-755AIDN	1/3" Sony Super HAD HQ1 550TVL w/Aspherical Veri-Focal 3.8~9.5mm Auto Iris Lens, 3 Axis Mechanical Dome Housing. 12VDC (Black or White Base)	320.00
	SSDX-742AI	1/3" Sony Super HAD 420TVL w/Aspherical Veri-Focal 3.8~9.5mm Auto Iris Lens, 3 Axis Mechanical Dome Housing. 12VDC (Black or White Base)	240.00
	MB-3XC	Embedded mount for 3 Axis dome camera SSD4-742AI-3X & SHD4-755AI-3X	45.00
	MB-6D	6" Wall Mount Bracket for SSD4 & SHD4 Dome camera	40.00
<b>G Color 3 Axis Vandal Dome Camera</b>			
	SHD4-7540-VD	1/3" Sony CCD / HQ1 550TVL Color Dome 12VDC Vandal Proof Dome Type	350.00
	SSD4-7420-VD	1/3" Color Sony Super HAD 420TVL Dome 0.3Lux 12VDC Vandal Proof Dome Type	265.00
	SHDX-755AIDN-VD	1/3" Sony Super HAD HQ1 550TVL w/Aspherical Veri-Focal 2.9~10mm Auto Iris Lens, 12VDC Vandal Proof Dome Type	400.00
	SSDX-742AI-VD	1/3" Sony Super HAD 420TVL w/Aspherical Veri-Focal 2.9~10mm Auto Iris Lens, 12VDC Vandal Proof Dome Type	330.00
	SDVD-55AIDN	1/3" Sony CCD DNR (Digital Noise Reduce) 550TVL Vandal Dome Camera build in Tamron 3.0~12.0mm Auto Iris Lens 12VDC/24VAC dual power	440.00
	MB-HVANDAL	Wall Mount Bracket for SSD4, SHD4, WDD Vandal Dome Series	110.00
	MB-7VDW	Wall Mount Bracket for Vandal Dome Series	120.00
	MB-7VD	Wall Mount Bracket for Vandal Dome Series	120.00
	MB-7VDX	In-Ceiling mount bracket for SSDX, SHDX & SIVD10H Vandal Dome Series	120.00






Picture	Model Number	Description	MSRP
<b>H IR Day &amp; Night Color/BW CCD Camera</b>			
	SIVD18-24843	1/3" Sony Super HAD, 420TVL, Weather Proof: IP 66 w/4.3mm Aspherical Lens 18 Dia.5" LED, Vandal Proof Dome, 3-Axis 12DC/24VAC Dual Power	260.00
	SIVD18-24860	1/3" Sony Super HAD, 420TVL, Weather Proof: IP 66 w/6.0mm Aspherical Lens 18 Dia.5" LED, Vandal Proof Dome, 3-Axis 12DC/24VAC Dual Power	260.00
	SIVD10H-755AI	1/3" Sony Super HAD, 550TVL, Weather Proof: IP 66 w/2.9~10mm Aspherical Lens 10 High-Light LED, Vandal Proof Dome, 3-Axis 12VDC Night Vision: 20M / 65FT	436.00
	SDMIVD35-55AIDN	1/3" Sony CCD DNR (Digital Noise Reduce) 550TVL 35LED IR Vandal Dome Camera Mechanical IR Cut build in Tamron 3.0~12.0mm Auto Iris Lens 12VDC/24VAC dual power	530.00
	OK-EID24-42W	24IR Dome Color Camera: 1/4" Sony Super HAD CCD, 420TVL, 24 IR LED, 3.6mm Lens, Lux@F2.0(0 Lux @ IR "on"), IR distance 35~50ft/10~15m 12V DC	109.00
	SIRD24-74243	1/3" Color Sony Super HAD CCD 24LED Dome Camera 420Line 12VDC/ 4.3mm Lens	175.00
	SIRD24-74260	1/3" Color Sony Super HAD CCD 24LED Dome Camera 420Line 12VDC/ 6.0mm Lens	175.00
	SIRD24-75443	1/3" Color Sony Super HAD CCD HQ1 DSP 24LED Dome Camera 540Line 12VDC/ 4.3mm Lens	260.00
	SIRD24-75460	1/3" Color Sony Super HAD CCD HQ1 DSP 24LED Dome Camera 540Line 12VDC/ 6.0mm Lens	260.00
	EIVD36-42VF	Sony 1/3" Super HAD 420 TV Line 24 IR Dome Camera Night Vision: 30M / 120FT w/External adjustable Veri-Focal 3.5~8mm Lens Bracket included.	280.00
	EIR28-F4240	Sony 1/3" Super HAD 420 TVL IR Color Bullet Camera 28 Dia.5" LED Night Vision: 20M /65 FT w/4.0mm Lens 12VDC, Bracket include.	130.00
	EIR42-42VF	Sony 1/3" Super HAD 420 TV Line 42 IR Bullet Camera Night Vision: 30M / 120FT w/External adjustable Veri-Focal 3.5~8mm Lens Bracket not included	215.00
	SIR15H-755AI	Sony 1/3" Super HAD 550 TVL Weather Proof: IP66 w/2.9~10.0mm Aspherical Vari-Focal Lens, 12 Super High-light LED Night Vision: 35M / 100FT Bracket included.	400.00
	SIR6H-8S43	Sony 1/3" Super HAD 420 TV Line IP66 6 High-Light IR LED Night Vision: 20M / 65FT w/4.3mm Lens Bracket included.	200.00
	SIR6H-8S60	Sony 1/3" Super HAD 420 TV Line IP66 6 High-Light IR LED Night Vision: 20M / 65FT w/6.0mm Lens Bracket included.	200.00
	EIR48-420VF	1/3" Day & Night Hi-Resistant Vandal IR Bullet Camera 420TVL w/3.5~8.0mm Verifocal Lens 48IR LED with Cable Management Bracket, IP65 12VDC Night Vision: 40M / 120FT	300.00
	SIG24-24843	1/3" Day & Night Hi-Resistant Vandal IR Bullet Camera 480TVL w/4.3mm Aspherical Lens 24IR LED 3-Axis Rotary Cable Management Bracket, IP66 12VDC Night Vision: 20M / 65FT	280.00
	SIG24-24860	1/3" Day & Night Hi-Resistant Vandal IR Bullet Camera 480TVL w/6.0mm Aspherical Lens 24IR LED 3-Axis Rotary Cable Management Bracket, IP66 12VDC Night Vision: 20M / 65FT	280.00
	EIR8H22-42VF840	1/3" Day & Night Hi-Resistant Vandal IR Bullet Camera 420TVL w/8~40.0mm 1/2" Verifocal Lens 42IR Hi-Light LED with Cable Management Bracket, IP65 12VDC Night Vision: 65M / 200FT	380.00

Picture	Model Number	Description	MSRP
<b>I Pro Serial IR Camera &amp; Infrared LED Illuminator</b>			
<b>40</b> 	SIV7-T54AI922	Hi-Security Sony 1/3" Super HAD 540 TVL Weather Proof: IP66 24VAC w/9.0~22.0mm Aspherical Vari-Focal Lens, Mechanical IR Cut, 7 Hi-Power IR LED Night Vision: 80M / 250FT Heater & Blower Dia Casting Housing & Cable Management Bracket included.	820.00
<b>41</b> 	HI7-TKHBL	7 Hi-Power IR LED with Heater & Blower Dia Casting Housing & Cable Management Bracket 24VAC Night Vision: 80M / 250FT Camera & Lens sell sepreated (any professional type of camera and lens can be add on to the housing)	470.00
<b>42</b> 	HI11-TKHBL	11 Hi-Power IR LED with Heater & Blower Dia Casting Housing & Cable Management Bracket 24VAC Night Vision: 120M / 380FT Camera & Lens sell sepreated (any professional type of camera and lens can be add on to the housing)	500.00
<b>43</b> 	IR7-TIR	7 Hi-Power IR LED with Compag size of Heater & Blower Dia Casting Housing w/side mounting bracket 24VAC Night Vision: 80M / 250FT Infrared LED Illuminator only	255.00
<b>I-1</b> 	IRM-TDP	Optional 2 side Bracket to hold for IR7-TIR	40.00

Picture	Model Number	Description	MSRP	
<b>J</b>				
<b>Bullet Type Camera</b>				
44		ESB-3420W	Bullet Type 1/4" Sony Super Had 420TVL 0.2Lux F1.2 w/3.6mm Lens 12VDC	125.00
45		SSB-7420DN	Bullet Type 1/3" Sony Super Had 420TVL 0.5Lux F2.0 w/3.6mm Lens 12VDC	145.00
46		SHB-7540DN	Bullet Type 1/3" Sony Super Had HQ1 540TVL 0.5Lux F2.0 w/3.6mm Lens 12VDC	250.00
47		CMB-L380A	Super Mini Bullet Type Color Camera with build in Audio, 3.7mm Lens 12VDC	240.00
<b>K</b>				
<b>Covert / Spy Camera</b>				
48		SHS-7540DN	1/3" Sony Super HAD HQ1 540TVL Color Smoke Detector Camera w/3.6mm lens. 12VDC (Camera angle able to adjust)	270.00
49		SSS-7420	1/3" Sony Super HAD 420TVL. Color Smoke Detector Cameras/3.6mm lens. 12VDC (Camera angle able to adjust)	175.00
50		ESU-3420	UFO Type 1/3" Sony Super HAD 420TVL 0.2Lux F1.2 w/3.6mm Lens 12VDC	175.00
51		ESP-3420	PIR Type 1/3" Sony Super HAD 420TVL 0.2Lux F1.2 w/3.6mm Lens 12VDC	130.00
52		ESP-3420A	PIR Type 1/3" Sony Super HAD 420TVL 0.2Lux F1.2 w/3.6mm Lens with build in Microphone 12VDC	150.00
53		OK-ESC-2420	1/3" Sony 420TLV Color Pinhole Clock Covert Camera, with Adjustable bracket, 3.7mm Lens 0.1ux 12VDC	210.00
54		ESFL-X480	Motion Sensor Floodlight with 1/3" Sony Super Had CCD 480TVL Color Camera with 3.6mm Lens 0.2Lux 110V	330.00
55		ESM-N480OSD	1/3" Sony 480TLV Color Mirror Covert Camera, 3.7mm Lens 0.1ux 12VDC OSD Remote control included. Bracket sold separately	\$ 410.00
56		SBB-L380ADN	Covert Board Type 1/4" Sony CCD 380TVL Day & Night Camera w/3.7mm <b>Bottom</b> type Lens, Build in Microphone 4~15VDC, 4Pin to RCA Converter and extra same style button included	300.00
57		SBP-L380ADN	Covert Board Type 1/4" Sony CCD 380TVL Day & Night Camera w/3.7mm <b>Pin Hole</b> type Lens, Build in Microphone 4~15VDC, 4Pin to RCA Converter	300.00
58		SBS-L380ADN	Covert Board Type 1/4" Sony CCD 380TVL Day & Night Camera w/3.7mm <b>Screw</b> type Lens, Build in Microphone 4~15VDC, 4Pin to RCA Converter and extra same style button included	300.00

## Net IP Security

Picture	Model Number	Description	MSRP
<b>A Hardwire IP Camera</b>			
<b>1</b>	 NIP10-A420	Net IP Security Camera Mpeg4 Motorized Pan and Tilt 10X Optical Zoom, 10X Digital Zoom Built-in Omni-Directional Microphone 1/4" Color CCD AV Output to External Monitor Power Supply 12V DC, 1.5A Include	1,270.00
<b>2</b>	 NICP-AE	Net IP Security Camera Mpeg4 Motorized Pan Tilt 10X Optical, Digital Zoom 4.0mm Fixed Lens, Low Light, Synchronized Audio and Video Power Supply 12V DC, 1.5A include	520.00
<b>3</b>	 NIC-AE	Net IP Security Mpeg4 Motorized 4X Digital Zoom 4.0mm Fixed Lens, Low Light, Synchronized Audio and Video 5VDC power supply include	330.00
<b>4</b>	 NIC-ZE	MPEG4/MJPEG Dual Streaming, 30FPS @ All Resolution, 10x Digital Zoom, 1/4" Progressive CMOS Sensor, SLLP (Superior Low Light Performance), Two-way Audio, 3GPP / 2.5G Mobile Support, SSL (HTTPS) V3.0, 32-CH Software Bundled, Bracket & Power Adaptor Included	265.00
<b>5</b>	 NISHT-Z520	MPEG4/MJPEG Dual Streaming, 30FPS @ Full D1 Resolution, 1/3" Sony Super HAD CCD, 520 TV Lines, 6.0mm Lens / F1.6, Two-way Audio, 3GPP / 2.5G Mobile Support, 1 Alarm In / 1 Alarm Out, 32-CH Software Bundled, PoE (Power over Ethernet) Built-in with IEEE 802.3af Class 0 Support, Bracket & Power Adaptor Included	695.00
<b>6</b>	 NISHD-Z520	MPEG4/MJPEG Dual Streaming, 30FPS @ Full D1 Resolution, 1/3" Sony Super HAD CCD, 520 TV Lines, 6.0mm Lens / F1.8, Two-way Audio, 3GPP / 2.5G Mobile Support, 1 Alarm In / 1 Alarm Out, 32-CH Software Bundled, PoE (Power over Ethernet) Built-in with IEEE 802.3af Class 0 Support, Power Adaptor Included	695.00
<b>7</b>	 NISIRD24-75443	Net IP Security Real-time MPEG-4 Compression, <b>POE</b> 1/3" Sony Super HAD CCD, 540 TVL 4.3mm Fixed Lens / F2.0, alarm input/output, Two-way Audio Support Built-in Motion Detection 12V DC	600.00
<b>8</b>	 NISHDX-755AIDN-VD	Net IP Security Real-time MPEG-4 Compression, <b>POE</b> 1/3" Sony Super HAD CCD, 550 TVL, 2.9mm~10.0mm Aspherical Auto Iris Lens, alarm input/output, Two-way Audio Support, Built-in Motion Detection, 12V DC	1,320.00
<b>B Wireless IP Camera</b>			
<b>9</b>	 NIP10-AEG	Net IP Security Camera Mpeg4 Motorized Pan and Tilt 10X Optical Zoom, 10X Digital Zoom Built-in Omni-Directional Microphone 1/4" Color CCD AV Output to External Monitor Power Supply 12V DC, 1.5A Include	1,390.00
<b>10</b>	 NICP-AEG	Net IP Security Camera Mpeg4 Motorized Pan Tilt 10X Optical, Digital Zoom 4.0mm Fixed Lens, Low Light, Synchronized Audio and Video Power Supply 12V DC, 1.5A include	610.00
<b>11</b>	 NIC-AEG	Net IP Security Camera Mpeg4 Wirelss Motorized 4X Digital Zoom 4.0mm Fixed Lens, Low Light, Synchronized Audio and Video 5VDC power supply include	400.00
<b>12</b>	 NICIR6-ZEG	MPEG4/MJPEG Dual Streaming, 30FPS @ All Resolution, 10x Digital Zoom, 1/4" Progressive CMOS Sensor, 6 Night Vision LED, SLLP (Superior Low Light Performance), Two-way Audio, 3GPP / 2.5G Mobile Support, Wireless IEEE 802.11b/g, 32-CH Software Bundled, Bracket & Power Adaptor Included	310.00
<b>C IP Camera Housing &amp; Bracket</b>			












Picture	Model Number	Description	MSRP
	NIC-AHUO	Out door Heater & Blower housing and bracket for NIP & NIC series IP Camera	650.00
	NIC-AHUI	In door Heater & Blower housing and bracket for NIP & NIC series IP Camera	489.00
	MB-7VDX	In-Ceiling mount bracket for NISHDX-755AIDN-VD	120.00
	MB-7VDW	Wall Mount Metal Bracket for NISHDX-755AIDN-VD	120.00
	MB-6D	6" Wall Mount Bracket for NISIRD24	40.00

Picture	Model Number	Description	MSRP
<b>D Video Server</b>			
	NIVS-Z1D	Net IP Security Video Server 30 fps in Full D1 resolution, Simultaneous MPEG-4 & MJPEG POE, Two-way audio, External alarm input/output, Supports 3GPP/ISMA RTSP, Intelligent motion detection	500.00
<b>F Megapixel NVR</b>			
	19	IMNVR-04	795.00
	20	IMNVR-08	* Support High Megapixel IP Cameras * Digital PTZ and Multi-Dynamics Viewer 1495.00
	21	IMNVR-12	* Dual Monitor Realtime Display 2095.00
	22	IMNVR-16	* 30pf/s Recording and Play Back * 2 Way Audio 3095.00
	23	IMNVR-25	* Compliant with OKIUSA DVR Card (H.264/Mpeg4) * Compliant with Following IP Cameras: 6295.00
	24	IMNVR-32	ACTi, Arecont Vision, AXIS, Bosch, Canon, cieffe, D-Link, Etrovision, Infinova, Iqinvision, Lumenera, JVC, Mobotix, Panasonic, Qmik, Samsung, Sanyo, Sony, Toshiba, PiXord, ZAVI, 7995.00
	25	IMNVR-36	8995.00
	26	IMNVR-64	15995.00
<b>G H.264 Hardware DVR Card</b>			
	27	ICH480-04	4 CH Video and 4 CH Audio input H.264 Realtime Display and Recording. Hardware Compression / Mpeg4 Software Compression. Max. 4 Cards install (16 CH) 750.00
	28	ICH480-08	8 CH Video and 8 CH Audio input H.264 Realtime Display and Recording. Hardware Compression / Mpeg4 Software Compression. Max. 4 Cards install (32 CH) 1400.00
	29	ICH480-16	16 CH Video and 16 CH Audio input H.264 Realtime Display and Recording. Hardware Compression / Mpeg4 Software Compression. Max. 4 Cards install (64 CH) 2800.00
<b>H Mpeg 4 DVR Card</b>			
	30	ICM4120-04	4 CH Video and 4 CH Audio input 120fp/s Display and Recording Mpeg4 Software Compression. Max. Cards install (8 CH) 600.00
	31	ICM4120-08	8 CH Video and 4 CH Audio input 120fp/s Display and Recording Mpeg4 Software Compression. Max. Cards install (16 CH) 930.00
	32	ICM4120-12	12 CH Video and 4 CH Audio input 120fp/s Display and Recording Mpeg4 Software Compression. Max. Cards install (24 CH) 1070.00
	33	ICM4120-16	16 CH Video and 4 CH Audio input 120fp/s Display and Recording Mpeg4 Software Compression. Max. Cards install (32 CH) 1190.00
	34	ICM4480-16	16 CH Video and 4 CH Audio input Realtime Display and Recording Mpeg4 Software Compression. 1690.00
<b>I Accessories</b>			
	35	ICD-IO	4 Alarm Input / 4 Output Digital IO only use for ICM series 198.00
	36	ICD-USB	Compliant USB V1.0 and V2.0 RS232 to RS485 Converter up to 4000 ft. Extenal Device 320.00
	37	RS100C	RS232 to RS485 Converter 35.00
	38	RS200C	RS232 to RS485 or RS422 Converter, DC transformer include. 125.00



**PTZ Camera price list**

6/23/2008

Picture	Model Number	Description	MSRP
<b>A High Speed PTZ Camera</b>			
	SEM18HB-V48DN	Outdoor True DAY & NIGHT Hi-Res. Surface Mount high speed dome, ICR, OSD function, pattern function, tour, privacy masking, 0,01Lux, auto pan 0.5°-300°/sec. pan speed, 128 presets, 18x zoom, Sony original FCB camera FCB-EX480C, 24VAC ( Wall Mount or Ceiling Mount Bracket include)	1700.00
	SEM26HB-V48DN	Outdoor True DAY & NIGHT Hi-Res. Surface Mount high speed dome, ICR, OSD function, pattern function, tour, privacy masking, 0,01Lux, auto pan 0.5°-300°/sec. pan speed, 128 presets, 26x zoom, Sony original FCB camera FCB-EX980C, 24VAC ( Wall Mount or Ceiling Mount Bracket include)	2000.00
	SEM18I-V48DN	Indoor True DAY & NIGHT Hi-Res. Surface Mount high speed dome, ICR, OSD function, pattern function, tour, privacy masking, 0,01Lux, auto pan 0.5°-300°/sec. pan speed, 128 presets, 18x zoom, Sony original FCB camera FCB-EX480C, 24VAC	1700.00
	SEM26I-V48DN	Indoor True DAY & NIGHT Hi-Res. Surface Mount high speed dome, ICR, OSD function, pattern function, tour, privacy masking, 0,01Lux, auto pan 0.5°-300°/sec. pan speed, 128 presets, 26x zoom, Sony original FCB camera FCB-EX980C, 24VAC	2000.00
	SEM18S-V48DN	Indoor True DAY & NIGHT Hi-Res. Surface Mount high speed dome, ICR, OSD function, pattern function, tour, privacy masking, 0,01Lux, auto pan 0.5°-300°/sec. pan speed, 128 presets, 18x zoom, Sony original FCB camera FCB-EX480C, 24VAC	1600.00
	SEM26S-V48DN	Indoor True DAY & NIGHT Hi-Res. Surface Mount high speed dome, ICR, OSD function, pattern function, tour, privacy masking, 0,01Lux, auto pan 0.5°-300°/sec. pan speed, 128 presets, 26x zoom, Sony original FCB camera FCB-EX980C, 24VAC	1900.00
<b>B Wide Dynamic High Speed PTZ Camera</b>			
	SEMW36HB-V53DN	Outdoor True DAY & NIGHT Wide Dynamic Hi-Res. Surface Mount high speed dome, ICR, OSD function, pattern function, tour, privacy masking, 0,01Lux, auto pan 0.5°-300°/sec. pan speed, 128 presets, 36x zoom, Sony original FCB camera FCB-EX1010C, 24VAC ( Wall Mount or Ceiling Mount Bracket include)	2600.00
	SEMW36I-V53DN	Indoor True DAY & NIGHT Hi-Res. Wide Dynamic Surface Mount high speed dome, ICR, OSD function, pattern function, tour, privacy masking, 0,01Lux, auto pan 0.5°-300°/sec. pan speed, 128 presets, 36x zoom, Sony original FCB camera FCB-EX1010C, 24VAC	2600.00
	SEMW36S-V53DN	Indoor True DAY & NIGHT Hi-Res. Wide Dynamic Surface Mount high speed dome, ICR, OSD function, pattern function, tour, privacy masking, 0,01Lux, auto pan 0.5°-300°/sec. pan speed, 128 presets, 36x zoom, Sony original FCB camera FCB-EX1010C, 24VAC	2550.00
<b>C Supper IR Pan Tilt Zoom Camera</b>			
	SEIMW36T-V53DN	Outdoor True DAY & NIGHT Pan/Tilt zoom Wide Dynamic camera, up to 180 feet IR distance, OSD function, pattern function, tour, privacy masking, EXview 0,01Lux, auto pan 0.5°-80°/sec. pan speed, 128 presets, 36x zoom, Sony original FCB camera FCB-EX1010 (Wide Dynamic Range), Aluminium Alloy construction	4400.00
<b>D Mini Pan Tilt Zoom Camera</b>			
	SS10C-C480DN	In-Door Mini PTZ Sony Super HAD 480TVL Color Day & Night 0.05 Lux 32, 10x zoom, Preset Position, 360 Degree Rotation, 30degree/sec. AGC, BLC, AWB, 12VDC Camera. Suggest use KB050 with camera for Preset Touring.	800.00

	Picture	Model Number	Description	MSRP
<b>E PTZ Controller</b>				
12		PTZ-KB300	3-axis, multi-protocol & programmable keyboard RS485 and RS232 Interface, Backlight Display, up to 1200m, Power: DC12V , up to 9999 Speed dome ( depends on Protocol), Ergo-Design & Alu-Finishing	650.00
13		PTZ-KB200	2-axis, multi-protocol & programmable keyboard for Speed Dome Camera, RS485 and RS422 Interface, Backlight Display, up to 1200m, Power: DC12V , Ergo-Design & Alu-Finishing	270.00
14		PTZ-KB050	Economic PTZ Controller Keyboard RS485, Multi Protocol, OSD, LCD Display	220.00
15		RS100C	RS485 to RS232 Converter	32.00
15		RS200C	RS485/442 to RS232 Converter with 12VDC Power transformer	115.00
16		USB100C	RS485 to USB Converter	120.00
<b>F Housing &amp; Bracket</b>				
17		MB-CW10C	Wall Mount Bracket for SS10C Mini PTZ Camera	60.00
18		MB-VEI	Indoor embedded mount SEM18S, SEM26S and SEMW18S PTZ Camera	145.00
19		MB-VCHB	Ceiling Mount Bracket SEM18HB, SEM26HB and SEMW36HB PTZ Camera	80.00
20		MB-VCS	Ceiling Mount Bracket SEM18S, SEM26S and SEMW18S PTZ Camera	145.00
21		MB-VC-E39	Extension Pipe for AU-BW1, 100 cm Long 39"	90.00
22		MB-VC-E20	Extension Pipe for AU-BW1, 50 cm Long 20"	70.00
23		MB-VC-AD	Adaptor of AU-BW1 extension pipe use	20.00
24		MB-VWHB	Wall Mount Bracket for SEM18HB, SEM26HB and SEMW36HB PTZ Camera	150.00
25		MB-VWS	Wall Mount Bracket for SEM18S, SEM26S and SEMW18S PTZ Camera	150.00
26		MB-VWEHB	Optional Wall mount bracket for SEM18HB, SEM26HB and SEMW36HB PTZ Camera	160.00
27		MB-VWES	Optional Wall mount bracket for SEM18S, SEM26S and SEMW18S PTZ Camera	200.00
28		MB-VRG	Roof Mount Swan neck bracket for SEM18HB, SEM26HB and SEMW36HB PTZ Camera	110.00
29		MB-VCM	Outdoor Conner Mount Adapter for all outdoor PTZ cameras	70.00
30		MB-VPM	Outdoor Pole Mount Adapter for all outdoor PTZ cameras	70.00

## Service Monitor & Warning Sign

Jul-08

Picture	Model Number	Description	MSRP
<b>A All in One Service Monitor &amp; Tester</b>			
1	 RAPPOR337	Multifunctional CCTV Tester with 2.5" Color LCD Display Kit include: Video Tester, Digital Multimeter, PTZ Controller & Protocol Analyzer, UTP Cable Tester, View Information, Video Signal Generator. Package include: Portable Bag, Rechargeable Battery, Power Adaptor, Car Charger, Test Leads UTP Tester Terminal, Necklace Accessories.	1,100.00
<b>B Service Monitor</b>			
2	 4LSMAV	Hand-Held 4" TFT LCD Color Service Monitor 1xBNC input, 2 BNC output, 1 Audio Output with Arm Carring Bag, 4xAA Rechargeable Batteries, Transformer, Necklace Accessory	500.00
3	 56SM-AV	5.6" TFT LCD Color Hi-Res Service Monitor 2xAV output, AV to RCA cable, RCA to BNC Adepter, Rechargeable Batteries, Transformer, Necklace Accessory, Monitor protecting leather carry case.	550.00
<b>C Warning Sign</b>			
6	 WS09B	Audio & Video Surveillance WARNING SIGN in Blue Color, English & Spanish 9"x7"	10.00
7	WS18B	Audio & Video Surveillance WARNING SIGN in Blue Color, English & Spanish 18"x12"	13.00
8	 WS09R	Audio & Video Surveillance WARNING SIGN in Red Color, English & Spanish 9"x7"	10.00
9	WS18R	Audio & Video Surveillance WARNING SIGN in Red Color, English & Spanish 18"x12"	13.00

## Mini Mobile DVR with Camera System

1/1/08

Picture	Model #	Description	MSRP
<b>A Water Proof Mobile DVR</b>			
<p>Water Proof Mobile DVR is for out door recording application such as Sky Diving, Car Racing..etc Sports activity. Hi-Picture Quality, Water Resistance, Easy Operation, Compact Size, Rugged, Hi Capacity Battery, Pre/Post Alarm Long Recording Hours, Two Recording Mode: VGA&amp;HVGA</p>			
			
<b>1</b>	 MPD-01A	Water Resistance mini Mpeg4 DVR with 2.5" TFR LCD Monitor, realtime recording, 1ch Video, 1ch Audio, Support up to 4G SD Card. Rechargeable Li-Polymer, IR Remote controller, 5VDC Transformer include.	950.00
<b>2</b>	 SSB-F50A-80M	1/3" Color 500TVL CCD Water Resistant Bullet Camera 5~12VDC with build in Microphone, IP66. 3.6mm, 6.0mm, 8.0mm, 12.0mm Lens come with camera	330.00
<b>3</b>	 CMB-F40A-80M	Super Mini board camera with pin-hole 3.7mm lens 400TVL with build in Audio 5VDC	210.00
<b>B Urtura Mini Mobile DVR with Camera System</b>			
<b>4</b>	 OK-MDR-101CK	1ch Urtura Mini Mobile Mpeg4 DVR with Build in 2.5" LCD, 128M Build in Flash Memory, 1/4" Tiny Clip on Camera with Microphone, AV Cable, Earphone, 3.7V Rechargeable Li-Ion Battery, USB Cable, Power Adapter include in Kit package.	880.00
<b>4.1</b>	 OK-MDR-CC	Car Charger for MDR-101CK	28.00
<b>4.2</b>	 OK-MDR-RB	Rechargeable Battery for MDR-101CK	28.00
<b>C Hidden Camera Detector</b>			
<b>5</b>	 WCS-99XIIB	Wireless RF 900Mhz~2.7Ghz Audio, Video Spy Camera Detector, Power Adapter, AV Out-put cable include.	1200.00
<b>6</b>	 LPF-01X	Pin Hole Spy camera Finder, Battery Operated, Keychain Size, Effective distance up to 10 Ft.	28.00

# Pentaplex DVR Price List

1/1/08



**Simultaneous Live, Recording, Playback, Backup & Network at the same time**  
**Best picture quality with small recording file size**  
**Adjustable Recording resolution / Frame Rate / Quality for each channel independently**  
**Multiple DVR and multiple client support**  
**Dynamic / Static IP Support**  
**Best picture quality with small recording file size**  
**Realtime MPEG4 Hardware Codec**  
**Support Pocket PC for Remote Viewing**  
**Mouse and IR remote control unit for user interface**  
**Video Output: 2xBNC, 1xS Video, 1xVGA**  
**CD-Burner, USB and Network for data backup**

Model Number	Description	MSRP
PMD-04	4 CH Pentaplex Sys. Real-time Recording no HDD CDR/W 1 Audio, Realtime Display. 120fps Recording	\$ 1,200.00
PMD-08	8 CH Pentaplex Sys. Real-time Recording no HDD CDR/W 1 Audio, Realtime Display. 120fps Recording	\$ 1,700.00
PMD-16	16 CH Pentaplex Sys. Real-time Recording no HDD CDR/W 1 Audio, Realtime Display. 240fps Recording	\$ 1,995.00
HDD-xxx	Each additional HDD storage up to 800G HDD	\$ 1.33

## Cabling Systems and Solutions Price List

10/1/2008

Picture	Model Number	Description	MSRP
<b>A CCTV Balun</b>		<b>Passive Video Balun</b>	
<b>Transmit video signal without signal boosting up to 1000ft on a single CAT5E cable. For advanced application, there is video, power, and data combined into one product.</b>			
1	 VBF100TP	<b>Passive</b> Ultra Mini Video Balun with <b>extra interference rejection</b> BNC male to 2 push pin terminal / Color 1200ft B/W 2000ft, 2pcs kit <b>(Replacing VB100TK. Available on March)</b>	36.00/Pair
2	 VBU100TP	<b>Passive</b> Video Balun with <b>extra interference rejection</b> 8" Pigtail BNC Male Cable to 2 push pin terminal / Color 1200ft B/W 2000ft, 2 pcs kit <b>(Replace VB100S &amp; VBF100S)</b>	40.00/Pair
3	 VBU110TK	<b>Passive</b> Video Balun with DC Power connection with <b>extra interference rejection</b> 8" Pigtail BNC Male Cable & DC Male/Female to 4 push pin terminal / Color 1200ft B/W 2000ft, 2 pcs kit . **For Power drop on cable run distances, please see installation manual. <b>(Replacing VB100TK. Available on Nov.2008)</b>	46.00/Pair
4	 Female Male VB110TK	Passive Video Balun with Power Twisted Pair Transceiver Kit / 1x BNC Male+DC male plug to push pin terminals, 1x BNC Male+DC Female plug to push pin terminals. 2pcs kit **For Power drop on cable run distances, please see installation manual. <b>(discontinue on Nov.)</b>	56.00/Pair
5	 VBU111RJ	<b>Passive</b> Video Balun with Data & Power with <b>extra interference rejection</b> 8" Pigtail BNC Male Cable+ 1x DC Female + 1x DC male + 2 baring wire for Data to RJ45 Jack **For Power drop on cable run distances, please see installation manual. <b>(Replacing VB111T. Available on June)</b>	28.00
6	 VBU400T	4-Channel <b>Passive</b> Video Balun with <b>extra interference rejection</b> 4 BNC Female to 1 RJ45 Female Jack & 8 push in screw type Terminals / Color 1000ft B/W 2000ft. <b>(Replacing VB400T).</b>	65.00
7	 Front Rear VB444T	4-Channel <b>Passive</b> Video Balun with Power, Data 4 x BNC Female, DC Female, 2 push in screw type to 4 x RJ45 Jack	86.00
8	 VBU800T	8-Channel <b>Passive</b> Video Balun with <b>extra interference rejection</b> 8 BNC Female to 2 RJ45 Female Jack & 16 push in screw type Terminals / Color 1000ft B/W 2000ft	120.00
9	 VB1600-1U	16-Channel <b>Passive</b> Video Balun 16 BNC Female to 32 push in screw type Terminals / Color 1000ft B/W 2000ft	490.00
10	 VB110AC3	OKI USA Video & Power Transceiver Kit, BNC male to RJ45 with DC male cord ( 1 pair: video, 3 pairs: power) use for AC camera	28.00
11	 Front Rear VB110PC	OKI USA Video & Power Transceiver, Built in AC to DC12V Power Converter (1AMP). BNC Male with 2 terminal power to RJ45 Jack	56.00
12	 VB111AC	OKI USA Video, Power & Data Transceiver for AC PT/PTZ camera, BNC Male, DC male and 2 bare wire to RJ45	40.00
13	 Front Rear VBA1624AC-1U	16-Channel <b>Passive</b> Video, 24VAC Power and Data Balun 16 BNC Female to RJ45 type Terminals, use with VB111AC, VB110AC3 or VB110PC / Color 1000ft B/W 2000ft. 110V	1,275.00
14	 SB100TK	<b>Passive S-Video</b> Balun 8" pigtail S-Video Male to RJ45 Jack / 1000ft	88.00/Pair


## Cabling Systems and Solutions Price List

10/1/2008

Picture	Model Number	Description	MSRP
<b>B Audio Balun</b>			
<b>Passive Audio Balun</b>			
Transmit audio signal from with out signal boosting up to 1000Ft on a single CAT5E cable.			
15		AB100T Audio Passive Balun Twisted Pair Transceiver / RCA Female to 2 pin screw on type terminals / 1000ft	22.00
<b>C Home Theatre</b>			
<b>Home Theatre</b>			
<b>UTP</b>			
Baluns and Amplifiers for use with Home Theatre Applications			
16		HAV111J-WP Wall Plate Video, Audio, Power CAT5 Extender 2pcs/1set	88.00
17		HCV110J-WP Wall Plate Component Video & Digital Audio CAT5 Extender 2pcs/1set	94.00
18		HHB200K HDMI CAT5 Extender (2-in 2-out)	440.00
19		HHD124 1-input 4-output HDMI Distribution Amplifier	280.00
<b>D UTP Transceiver</b>			
<b>Coaxial Cable to UTP/IP Camera Converter</b>			
20		VB100IPK Send IP camera signal over existing coaxial cable, Passive, no power required,8 Exceeds 802.3 10BaseT NEXT specification, isolating the receiver from the transmitted signal, 8 Transmission up to 200 meters (Max)	145.00
<b>E CCTV Signal Filter</b>			
<b>Video Filter</b>			
21		VF100BNC-G Coaxial Video Ground Loop Isolator, Built in TVS (Transient Voltage Suppressors) for Surge Protection. Eliminates picture tearing, cross talk and rolling. Prevents Video signal distortion caused by video ground loops, power cables laid by others interfering with CCTV system.	48.00
22		VF100BNC Video Balun Filter built in a highly balanced mode of video transmission, immune to interference and noise from other sources such as Data signals, other video signals, near by power, ringing telephones, fluorescent lights, transformer...etc. Perfect work with DVR to immunity DVR interference.	45.00

## Cabling Systems and Solutions Price List

10/1/2008

Picture	Model Number	Description	MSRP
<b>F CCTV Balun</b>		<b>Active Video Balun</b>	
<div style="display: flex; align-items: center;"> <span style="color: white;">Transmit video signal with active signal boosting using a single CAT5E cable up to 5000Ft.</span> </div>			
23	 VBAU100T	Active Video Balun - Active Transmitter with extra interference rejection (use w/VBAU100R distance can go up to 5000ft). 12V DC Power transformer included. <span style="color: red;">(Replace VBA100T)</span>	60.00
24	 VBAU100R	Active Video Balun - Active Receiver with extra interference rejection (use w/VBAU100T distance can go up to 5000ft). 2 BNC Out, 12V DC Power transformer included. <span style="color: red;">(Replace VBA100R)</span>	60.00
25	 VBAU400R	4-CH Active Video Balun - Active Receiver with extra interference rejection (use w/VBAU100T distance can go up to 5000ft). 8 BNC Out, 12V DC Power transformer included. <span style="color: red;">(Replace VBA400T)</span>	200.00
26	 VBAU800R-1U	8-CH Active Video Balun - Active Receiver with extra interference rejection (use w/VBAU100T distance can go up to 5000ft). 16 BNC Out, 1U Rack mountable, 12V DC Power transformer included. <span style="color: red;">(Replace VBA800R-1U)</span>	400.00
27	 VBA800R-1U	8-CH Active Video Balun 1U Panel Rackmountable (use w/VB100T or VB100S up to 3000ft; w/VBA100T up to 5000ft), 12V DC power transformer included. <span style="color: red;">(discontinue on July)</span>	650.00
28	 VBA1600R-1U	16-CH Active Video Balun 1U Panel Rackmountable (use w/VBU100T Distance can go up to 5000ft), 12V DC power transformer included.	1,300.00
<b>G CCTV Transceiver</b>		<b>One Coaxial Cable to Transmit</b>	
29	 VMS2200K	Over One coax transmission system for 1x Video + 1x Audio + 1x DC power. Kit includes transmitter and receiver/BNC input & output.	240.00
30	 VMS2501K	Over One coax transmission system for 2 x Video + 2 x Alarm I/O + 2 x DC/AC Power. Kit includes transmitter and receiver. AC to DC converter & power code included.	700.00
31	 VMS2731K	Over One coax transmission system for 1x Video + 1 x RS485 + 1 x DC/AC power. Kit includes transmitter and receiver. AC to DC converter & power code included.	700.00



## Cabling Systems and Solutions Price List

10/1/2008

Picture	Model Number	Description	MSRP
<b>H CCTV BNC Distributor</b>		<b>Video Distributor</b>	
<b>Distribute video signal from a single source to many with signal amplification.</b>			
32	 VD122BNC	1 input 2 output Video Distributor / Dual power input 12V DC/24V AC / 12DC Power Transformer included.	50.00
33	 VD124BNC	1 input 4 output Video Distributor / 12V DC Power Transformer included.	85.00
34	 VD128BNC	1 input 8 output Video Distributor / 12V DC Power Transformer included.	125.00
35	 VD428BNC	4 input to 8 output Video Distributor / 12V DC Power Transformer included.	190.00
36	 VD8216BNC-1U	8 input to 16 output Video Distributor, 1U Panel Rackmountable / 12V DC Power Transformer included.	360.00
37	 VD16264BNC-2U	16 input 64 output Video Distributor, 2U Panel Rackmountable / 12V DC Power Transformer included.	1,200.00
<b>I PC Balun</b>		<b>VGA Distributor</b>	
<b>Distribute VGA signal from a single source to many with a single CAT5E cable up to 1200Ft at high resolution.</b>			
38	 VGD122K	VGA Distributor, 1 in 2 out Transmitter and Receiver Kit (VGR110 & 5VDC Power Transformer included) 1 VGA output for local, plus 1 RJ45 Jact output. Long range transmission up to 1200ft. Support up to 1600x1200@85Hz, Build in contrast, brightness adjustment at receiver (VGR110).	420.00/Kit
39	 VGD125K	VGA Distributor, 1 in 5 out Transmitter and Receiver Kit (1xVGR110 & 5VDC Power Transformer included) 1 VGA output for local, plus 1 RJ45 Jact output. Long range transmission up to 1200ft. Support up to 1600x1200@85Hz, Build in contrast, brightness adjustment at receiver (VGR110).	500.00/Kit
40	 VGR110	VGA Receiver with contrast, brightness adjustment. (5VDC power transformer included) use with (VGD125K option)	270.00
41	 VADU01T	VGA Balun 1 in 2 out <b>Transmitter/Hosting Site</b> work with VADU122R Receiver Transmit VGA & Audio Singal up to 1000ft at 1024*768 VGA & Audio input/ One VGA & RJ45 output USB power.	218.00
42	 VADU04T	VGA Balun 1 in 4 out <b>Transmitter/Hosting Site</b> work with VADU122R Receiver Transmit VGA & Audio Singal up to 1000ft at 1024*768 VGA & Audio input/ One VGA & RJ45 output USB power	820.00
43	 VADU122R	Cat5 VGA Long Range <b>Receiver/Remote Site</b> work with VADU01T & VADU04T Transmitter Series 1x RJ45 <b>input</b> / 2xVGA & Audio <b>Output</b> . 12VDC Power	245.00




## Cabling Systems and Solutions Price List

10/1/2008

Picture	Model Number	Description	MSRP	
<b>J PC Balun</b>		<b>VGA Extender</b>		
<b>Extend VGA signal using a single CAT5E cable up to 300Ft at 1280 x 1024 high resolution.</b>				
<b>44</b>	 <small>Left      Right</small>	VB100VK	VGA Extender over Cat5. Support up to 300ft, 1280 x 1024 pixels, VGA Female to RJ45, Passive / No power needed	190/Kit
<b>45</b>		VBU100VK	VGA Extender over Cat5. Support up to 300ft, 1280 x 1024 pixels, VGA Female to RJ45, Passive / No power needed	190/Kit
<b>J PC Balun</b>		<b>PS2 Extender</b>		
Extend PS2 mouse and keyboard signal using a single CAT5E cable up to 300Ft.				
<b>46</b>		PS2100C	Keyboard Mouse Extender Balun up to 300ft. Passive / No power needed. 2pcs / kit	64.00/Kit
<b>K PC Balun</b>		<b>VGA Monitor, Keyboard, and Mouse CAT5 Extender</b>		
<b>Extend VGA, Keyboard &amp; Mouse by using 2 of CAT5E cable up to 1000Ft.</b>				
<b>47</b>	 <small>Left      Right</small>	VGPS2100C	VGA Monitor, Mouse & Keyboard Long Range Cat5 Extender - with PS2 Interface up to 300Ft. 2pcs / Kit (Will be discountinue on Oct)	220.00/Kit
<b>48</b>	 <small>Left      Right</small>	VGUSB100C	VGA Monitor, Mouse & Keyboard Long Range Cat5 Extender - with USB Interface/ 2pcs / Kit up to 300Ft.	220.00/Kit
<b>49</b>		VKMPU300	VGA/PS2 Cat5 Extender support up to 1600*1200 2 Cat5e Cable require. up to 300Ft (Replace VGPS2100C)	175.00/Kit
<b>50</b>		VKMPU1000	VGA/PS2 Cat5 Extender support up to 1600*1200 1Cat5e Cable require. up to 1000Ft	540.00/Kit
<b>51</b>		VAKMPU1000	VGA/PS2/Audio Cat5 Extender support up to 1600x1200 2 Cat5e Cable require. up to 1000Ft	620.00/Kit
<b>L PC Balun</b>		<b>VGA Converter</b>		
Convert analog video to digital video signal.				
<b>52</b>	 <small>Front      Rear</small>	VC100V	VGA Converter, Video (BNC) to VGA Converter (Analog to Digital) Support NTSC, PAL and Secam Video System. Build in OSD (On Screen Display) Support NTSC: 640x480 PAL: 768x576	145.00
<b>53</b>	 <small>Front      Rear</small>	VC100VHD	Hi Resolution Video (RCA) to VGA Converter (Analog to Digital) Support NTSC, PAL Video System. Multi Signal Input: VGA, Composite Video, S-Video, Output Mode: 800x600, 1024x768, 1280x1024@60Hz. On screen display: Contrast, brightness, color, tint, features, resolution/ Use for DVR out put only	220.00

## Cabling Systems and Solutions Price List

10/1/2008

Picture	Model Number	Description	MSRP
<b>M RS485 Covert</b>			
<b>RS485 Converter</b>			
Convert USB to RS485 signal from PTZ camera communication with digital video recorder.			
54	 USB100C	USB 2.0 Connector RS232 to RS485 Converter, Two wire, differential signals, half duplex, no power required, Auto switching baud rate, speed up to 115,200 baud over 3000ft.	120.00
55	 RS100C	RS232 to RS485 Converter, DB9 Female connector for RS232 to 2 wires terminal block for RS485, no power required.	32.00
56	 RS200C	RS232 to RS485 or RS422 Converter, RS232 input: DB9 or RJ11 Female. RS485/422 output: 2 wires terminal or RJ11, LEDES status monitoring for power and signal status. Surge protection 16KV ESD. Build in termination resistors, DC power transformer included.	115.00
<b>N Power</b>			
<b>Power Converter</b>			
Convert 24V AC power source to 12V DC output for DC voltage cameras.			
57	 PC500	AC14-AC24 to DC12V, Power Converter 500mA (Regulated) For DC type camera or video power sources convert using AC24V power transformer	18.00
58	 PC1000	AC14-AC24 to DC12V, Power Converter 1000mA (Regulated) For DC type camera or video power sources convert using AC24V power transformer	33.00
<b>O Power</b>			
<b>Rackmount Power Supply - 1U</b>			
Rackmountable 1U size centralize 16 port camera power supply.			
59	 P12DC16P-1U	16 Port DC12V Power Supply 8Amp in 1U Panel Rackmountable	420.00
60	 P24AC16P-1U	16 Port AC24V Power Supply 8Amp in 1U Panel Rackmountable	390.00










## Lens Price List

1/1/08

Picture	Model Number	Description	MSRP
<b>A Auto Iris Vari-Focus Lens /CS Mount</b>			
<b>1</b>	 LEN0380DCIR-J	3.0mm~8.0mm IR/Day & Night Aspherical Auto Iris Vari-Focus F0.95 1/3" Lens / CS Mount (Made in Japan)	\$ 85.00
<b>2</b>	 LEN2712DCIR-J	2.7mm~12.0mm IR/Day & Night Aspherical Auto Iris Vari-Focus F0.95 1/3" Lens / CS Mount (Made in Japan)	\$ 120.00
<b>3</b>	 LEN0560DC-J	5.0mm~60.0mm Aspherical Auto Iris Vari-Focus F1.6 1/3" Lens / CS Mount (Made in Japan)	\$ 150.00
<b>4</b>	 LEN0308DC	3.5mm~8.0mm Auto Iris Vari-Focus F1.4 1/3" Lens / CS Mount	55.00
<b>5</b>	 LEN0212DC	2.8mm~12.0mm Auto Iris Vari-Focus F1.4 1/3" Lens / CS Mount	90.00
<b>6</b>	 LEN0615DC	6.0mm~15mm Auto Iris Vari-Focus F1.4 1/3" Lens / CS Mount	70.00
<b>7</b>	 LEN0660DC	6.0mm~60.0mm Auto Iris Vari-Focus F1.6 1/3" Lens / CS Mount	120.00
<b>8</b>	 LEN05100DC	5.0mm~100.0mm Auto Iris Vari-Focus F1.8 1/3" Lens / CS Mount	\$ 175.00
<b>B Manual Iris Vari-Focus Lens /CS Mount</b>			
<b>9</b>	 LEN0212	2.8mm~12.0mm Manual Iris Vari-Focus F1.4 1/3" Lens / CS Mount	\$ 65.00
<b>10</b>	 LEN0308	3.5mm~8.0mm Manual Iris Vari-Focus F1.4 1/3" Lens / CS Mount	\$ 30.00
<b>11</b>	 LEN0615	6.0mm~15.0mm Manual Iris Vari-Focus F1.4 1/3" Lens / CS Mount	\$ 50.00
<b>12</b>	 LEN0660	6.0mm~60.0mm Manual Iris Vari-Focus F1.4 1/3" Lens / CS Mount	\$ 100.00
<b>13</b>	 LEN05100	5.0mm~100.0mm Manual Iris Vari-Focus F1.8 1/3" Lens / CS Mount	\$ 160.00

Picture	Model Number	Description	MSRP
<b>C Manual Iris Vari-Focus Lens /Board</b>			
14	 LEN0206B	2.6mm~6.0mm Manual Iris Vari-Focus F1.6 1/3" Board Lens	\$ 60.00
15	 LEN0308B	3.5mm~8.0mm Manual Iris Vari-Focus F1.6 1/3" Board Lens	\$ 50.00
16	 LEN0622B	6.0mm~22.0mm Manual Iris Vari-Focus F1.6 1/3" Board Lens	\$ 70.00
<b>D Fix Iris Lens</b>			
17	 LEN025	2.5mm Fix Iris F1.8 1/3" Lens / CS Mount	\$ 30.00
18	 LEN040	4.0mm Fix Iris F1.6 1/3" Lens / CS Mount	\$ 15.00
19	 LEN060	6.0mm Fix Iris F1.6 1/3" Lens / CS Mount	\$ 15.00
20	 LEN080	8.0mm Fix Iris F1.6 1/3" Lens / CS Mount	\$ 15.00
21	 LEN120	12.0mm Fix Iris F1.6 1/3" Lens / CS Mount	\$ 15.00
22	 LEN160	16.0mm Fix Iris F1.6 1/3" Lens / CS Mount	\$ 15.00
23	 LEN250	25.0mm Fix Iris F1.4 1/3" Lens / CS Mount	\$ 25.00
<b>E Fix Iris Board Lens</b>			
24	 LEN025B	2.5mm Fix Iris F2.0 1/3" Board Lens	\$ 20.00
25	 LEN036B	3.6mm Fix Iris F2.0 1/3" Board Lens	\$ 12.00
26	 LEN060B	6.0mm Fix Iris F2.0 1/3" Board Lens	\$ 12.00
27	 LEN080B	8.0mm Fix Iris F2.0 1/3" Board Lens	\$ 12.00
28	 LEN120B	12.0mm Fix Iris F2.0 1/3" Board Lens	\$ 12.00
29	 LEN160B	16.0mm Fix Iris F2.0 1/3" Board Lens	\$ 12.00
30	 LEN250B	25.0mm Fix Iris F2.0 1/3" Board Lens	\$ 15.00

## IR Illuminator, Housing and Bracket

Picture	Model Number	Description	MSRP
<b>A Hi-Security IR Illuminator Camera Kit</b>			
<b>1</b>	 SIV7-T54AI922	Hi-Security Sony 1/3" Super HAD 540 TVL Weather Proof: IP66 24VAC w/9.0~22.0mm Aspherical Vari-Focal Lens, Mechanical IR Cut, 7 Hi-Power IR LED Heater & Blower Dia Casting Housing & Cable Management Bracket included. Night Vision: 80M / 250FT	860.00
<b>2</b>	 SIV7-T54AI560TSHB	Hi-Security Sony 1/3" Super HAD 550 TVL Weather Proof: IP66 24VAC w/5.0~60mm Aspherical Vari-Focal Lens, Mechanical IR Cut, 7 Hi-Power IR LED mount under, Heater & Blower Dia Casting Housing & Cable Management Bracket included. Night Vision: 80M / 250FT	950.00
<b>3</b>	 SIV7-T54AI560TS	Hi-Security Sony 1/3" Super HAD 550 TVL Weather Proof: IP66 24VAC w/5.0~60mm Aspherical Vari-Focal Lens, Mechanical IR Cut, 7 Hi-Power IR LED, Dia Casting Housing & Cable Management Bracket included. Night Vision: 80M / 250FT	900.00
<b>4</b>	 SIV14-T54AI560TSHB	Hi-Security Sony 1/3" Super HAD 550 TVL Weather Proof: IP66 24VAC w/5.0~60mm Aspherical Vari-Focal Lens, Mechanical IR Cut, 2 of IR7Hi-Power IR LED Mount on side, Heater & Blower Dia Casting Housing & Cable Management Bracket included. Night Vision: 80M / 400FT	1150.00
<b>5</b>	 SIV14-T54AI560TS	Hi-Security Sony 1/3" Super HAD 550 TVL Weather Proof: IP66 24VAC w/5.0~60mm Aspherical Vari-Focal Lens, Mechanical IR Cut, 2 of IR7Hi-Power IR LED Mount on side, Dia Casting Housing & Cable Management Bracket included. Night Vision: 80M / 400FT	1100.00
<b>B Infrared LED Illuminator</b>			
<b>6</b>	 HI7-TKHBL	7 Hi-Power IR LED with Heater & Blower Dia Casting Housing & Cable Management Bracket 24VAC Night Vision: 80M / 250FT Camera & Lens sell sepreated (any professional type of camera and lens can be add on to the housing)	460.00
<b>7</b>	 HI11-TKHBL	11 Hi-Power IR LED with Heater & Blower Dia Casting Housing & Cable Management Bracket 24VAC Night Vision: 120M / 380FT Camera & Lens sell sepreated (any professional type of camera and lens can be add on to the housing)	520.00
<b>8</b>	 IR7-TIR	7 Hi-Power IR LED with Compag size of Heater & Blower Dia Casting Housing w/side mounting bracket 24VAC Night Vision: 80M / 250FT Infrared LED Illuminator only	290.00
<b>B-1</b>	 IRM-TDP	Optional 2 side Bracket to hold for IR7-TIR	50.00

Picture	Model Number	Description	MSRP	
<b>C Hi-Security Camera Housing</b>				
9		HUB-TS	Hi-Security Die-Cast Side Open Camera Housing with Sunshield and Cable Managed Bracket. IP67	180.00
10		HUB-TSHB	Hi-Security Die-Cast Side Open Camera Housing with Sunshield and Cable Managed Bracket. IP67 with Build in 24VAC Heater and Blower	220.00
11		HUB-TF	Hi-Security Die-Cast Front to Back Open Camera Housing with Sunshield and Cable Managed Bracket. IP67	200.00
12		HUB-TFHB	Hi-Security Die-Cast Front to Back Open Camera Housing with Sunshield and Cable Managed Bracket. IP67 with Build in 24VAC Heater and Blower	240.00
C-1		HUA-TPO	Pole Mount Adaptor for HUB Serial	50.00
C-2		HUA-TCO	Corner Mount Adaptor for HUB Serial	50.00
C-3		HUA-TCE	Ceiling Mount Bracket for HUB-TS & HUB-TSHB only	60.00